

Republic of the Philippines
City of San Carlos
Negros Occidental

INVITATION TO BID
PURCHASE REQUEST NO: 9-19-02-0356

FOR SALE
P 2,000.00

Sealed bids for quotation of prices will be received for the purchase of the following supplies, materials and equipment of the government to be opened on the date, place and time stated in **INSTRUCTION TO BIDDERS**.

QTY UNIT ARTICLES

Delivery Term: 45 Calendar Days upon receipt of P.O.

NOTE: Please indicate Brand and Model No. in your bid

1 unit **AMBULANCE (Brand New)**

Engine Type: 3.0L Diesel, 4-Cylinders, L Type, 16-Valve DOHC

Engine Displacement: 2,982

Maximum Output: 136PS/3,400Rpm

Maximum Torque: 300Nm/1,200 - 2,400Rpm

Transmission: 5 Speed Manual

Fully customized Ambulance with the following features:

- One side medical cabinet with storage for various supplies and equipment
- Ambulance furniture shall have rounded edges for safety
- Transparent and shatter proof acrylic stopper/sliding doors on all storage compartments
- On board 220VAC electrical system with outlet 1500w
- Driver/Crew partition with sliding tempered glass window
- Aluminum/Stainless stretcher platform with ramp and under storage for one scoop stretcher
- Spine Board Holder with straps
- Roof mounted ventillator with shutter
- Complete interior lighting (all LED) with one scene light installed on the rear lift door
- Oxygen tank holder with 15lbs oxygen tank
- Stainless overhead grab handle - 1 pc
- Doctor's seat with seat belt
- Side squad bench for up to 3 persons with under seat storage
- Non-slip, heavy duty ambulance grade flooring with bacteriostatic properties, easy to clean hard wearing

Warning Lights: Supply and installation of brand new LED emergency warning light which includes:

One set brand new Fusion GPL 49" LED light bar R/W

Technical Specifications:

- Interchangeable 180° or 40° light spread optics per module
- up to 48 flash patterns for dual color
- Modern slim line design
- Capabilities: 3 programmable modes - rear directional-dimming-front and rear cut-off-cruise mode - takedown, alley and work light - flood module
- Rugged weather-resistant enclosure
- Warranty 5 years
- Certifications: SAE J595, CT13, SAE J1113-11
- Input voltage: 12VDC
- Current Draw: 15A

- Dimensions: 1.6" x 49.5" L x 11.8" W
- Single Color: 156 high power 4 watt cree LED's
- Dual Color: 312 high power 4 watt cree LED's
- Cable harness length: 15 feet

Six (6) pcs brand new fusion surface mounted warning lights

Technical Specifications:

- 5 year warranty
- Available in red, blue, amber, or white with a clear lens
- 20 flash patterns
- 40°/180° light spread
- Capabilities: Stop/Tail/Turn. Dim Mode
- Syncs with all series light heads, T3s and cannons
- Meets or exceeds NFPA and KKK ambulance specifications
- Input Voltage: 12 volts DC
- Current Draw: 0.75 Amps
- Single Color: 6 High Power 4-Watt Cree LEDs
- Cable Harness: 9 inches

Six (6) pcs brand new T3 surface mounted warning lights

Technical Specifications:

- 5 year warranty
- 14 flash patterns
- Patterns include brake, tail and steady on
- Integrated mounting bezel with rubber mounting protective pad
- Syncs with same series LED lights
- Rugged aluminum housing
- Input Voltage: 12 volts DC
- Cable Harness length: 9 inches
- Current Draw: 750 amps

Controller: One (1) lot Mini Controller with stand alone switch panel

Technical Specifications:

- Integrated wig-wag function
- All-in-one controller with integrated relay
- Universal compatibility
- 6 programmable momentary or on/off buttons
- LED backlit buttons
- Includes surface mount, swivel mount and legend sheet
- Input Voltage: 12 volts DC
- Current Draw 750Ma
- Cable Harness length: 9 inches
- SAE Class 1 Certifications

Siren & PA System:

One (1) lot Storm Pro 200W Siren

Technical Specifications:

- 2 years warranty
- Meets or exceeds SAE J1849 standards

- 200 watt power output
- Dual-tone capable
- 23 programmable tones
- Microphone included for PA functionality
- 4 programmable modes
- Radio rebroadcast
- Horn ring
- Park-kill
- Integrated push button for tone selection
- Includes microphone mounting clip w/ screws
- Mic Cable: 15 feet
- Input Voltage: 12 Volts DC
- Current Draw: 20 amps

Two (2) pcs Triton 100w speakers

Technical Specifications:

- Power rating: 100W
- 85 degrees sound dispersion
- Compact design fits behind vehicle's grille or push bumper
- Rugged weather-resistant enclosure
- Universal siren compatibility
- Impedence: 11 Ohms
- Neodymium Magnet
- Frequency Response: 600 - 2700Hz
- Meets or exceeds SAE J1849 standards
- Compiles with L bracket

Electrical System: Installation of brand new electrical wiring and harnesses for the installation of electrical accessories (lights and siren)

Switch Box: Fabrication and installation of control panel for quick and easy operation accessories of installed accessories electrical

Decals: Printing and installation of custom decals and markings

Tint: Installation of High Quality Tint

Supplied with the following medical equipment and supplies:

1. Ambulance Stretcher (1 unit)
 2. Scoop Stretcher (1 unit)
 3. O2 Tank with regulator 5 lbs (1 set)
 4. Portable Suction Machine (1 unit)
 5. BP Apparatus (1 unit)
- with LTO registration, GSIS Comprehensive and TPL Insurance
with service manual
with 1 year warranty

X-X

PURPOSE: FOR THE USE OF SAN CARLOS CITY HOSPITAL.

OFC : CITY HOSPITAL

DATE OF OPENING & DEADLINE FOR THE SUBMISSION OF BIDS : 1:30 P.M. , April 2, 2019

PLACE : BAC Secretariat Office/CMO Extension Office

AMOUNT OF CONTRACT

BID SECURITY

Cash/ Manager's Check
(2% of ABC)

Surety Bond
(5% of ABC)

2,000,000.00 :

40,000.00 :

100,000.00

PRE-BID CONFERENCE: March 21, 2019 at 8:30 AM, BAC Secretariat Office

TERMS & CONDITIONS

1. The Bid/Bids shall be accompanied by a BID SECURITY in any of the following forms:
 - a) Cash or cashier's / Manager's Check issued : Two percent (2%) of the ABC (See above) by a Universal or Commercial Bank in favor of City Treasurer of San Carlos City.
 - b) Bank draft/guarantee or irrevocable letter of : Two percent (2%) of the ABC (See above) issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.
 - c) Surety Bond callable upon : Five percent (5%) of the ABC (See above) demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.
 - d) Any combination of the foregoing : Proportionate to share form with respect to total amount of security
 - e) Bid Securing Declaration

2. Secure bidding documents from the BAC Secretariat Office at a non-refundable fee of P 2,000.00 (per City Ordinance No. 17-60, Series of 2017)

3. Sample or Brochures of the materials (if required) shall be attached to the bid documents.

4. Your price offer must be valid for 70 calendar days.

5. Award will be made to the Lowest Calculated Responsive Bid (LCRB) that is the most advantageous to the government subject to post evaluation by the BAC.

6. Submit Omnibus Sworn Statement duly notarized, together with your bid.

7. The government reserves the right to reject any or all bids, declare a failure of bidding or not award the contract based on RA 9184.