Republic of the Philippines

City of San Carlos

Negros Occidental

SHEET NO. 1

INVITATION TO BID

PURCHASE REQUEST NO: 9-24-02-0426


Sealed bids for quotation of prices will be received for the purchase of the following supplies, materials and equipment of the government to be opened on the date, place and time stated in INSTRUCTION TO BIDDERS.

ITEM #	QTY.	UNIT	ARTICLES	U PRICE	TOTAL
Delivery Term: (All Lots) 15 Working Days upon receipt of P.O.					
		631		100	
1	4	bot	Thromborel 10 x 4 ml	1 4 / 21	
2	4	bot	Citrol IE ml x 10		
		1	Note:	Sub-Total	
		- 1	1. Reagents must be compatible with our coagulation analyz	er	
	1		2. Expiration date must be at least 18 months from delivery.		
			1060		
		V.	LOT 2		
1	250	tray	Redtop Vacutainer 4mL Glass		
2	250	tray	Edta vacutainer 2ml glass		
3	100	tray	Edta microtainer 0.5 ml		
			Note:	Sub-Total	
			1. Expiration date must be at least 18 months from delivery.	·	
	-		LOT 3		
1	6	box	Direct HDL 5pck/300 sld		
2	1	box	Kit 25		
3	2	box	ALT		
4	5	box	Microtips 250/bx		
5	10	box	Versa Tips 1000/box		<u> </u>
6	3	box	Micro sample cups 4000/box		<u> </u>
7	5	box	RT/CM Lamp		<u> </u>
8	2	box	Mixing Array Calibration Kit 25		
9	1	box	· · · · ·		
10 11	3 5	box	Dessicant Packs 2 sets/box		
11	5	box	Humidity Control Pack 2 sets/box	Sub-Total	
			1. Reagent must be compatible with our present analyzer us		
			2. Expiration date must be at least 18 mos from delivery.	.	
			2. Expiration date must be at least to most form derivery. x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-x-		
PURPOSE:			For the use of San Carlos City Hospital.	TOTAL	

Company Name / Business Name & Address

Name / Signature of Representatives

INSTRUCTION TO BIDDERS



8. Electronic submission and receipt of bids is not available pending compliance with GPPB Resolutions.

the contract based on RA 9184.

SGD ATTY. MA. CHAT H. DELIMA-CORDERO City Gov't Dept. Head I-OHRM / BAC Chairman BIDS & AWARDS COMMITTEE