

Republic of the Philippines  
 City of San Carlos  
 Negros Occidental

**REBIDDING LOTS 1-A, 1-B, 1-C, Lots 3-A, 3-B, 3-D,  
 3-G, 3-H, 4-A, 4-C, 4-D, 4-E, 4-F, 4-G, 4-H & 5-B**

**INVITATION TO BID**

**PURCHASE REQUEST NO: 401-24-07-1236**

**Page 1 of 8**

Sealed bids for quotation of prices will be received for the purchase of the following supplies, materials and equipment of the government to be opened on the date, place and time stated in **INSTRUCTION TO BIDDERS**.

ITEM #	QTY.	UNIT	ARTICLES	U PRICE	TOTAL
<b>Delivery Term: (Lots 3A, 3B, 3D, 3G, 3H, 4A, 4C, 4D, 4E, 4F, 4G, 4H &amp; 5B)</b>					
<b>15 Working Days upon receipt of P.O</b>					
<b>Note: (Lot 3C) As per withdrawal basis</b>					
<b>Lot I A: Accommodation</b>					
1	12	night	Deluxe Room with two(2) single beds and breakfast good for two(2) @ 5 rooms per night (September 6-17, 2024)	_____	_____
<b>Lot I B: Meals and Snacks</b>					
1	12	day	Morning Snacks @ 30 pax (September 6-17, 2024)	_____	_____
2	12	day	Afternoon Snacks @ 30 pax (September 6-17, 2024)	_____	_____
3	12	day	Lunch @ 30 pax (September 6-17, 2024)	_____	_____
4	12	night	Dinner @ 15 (September 6-17, 2024)	_____	_____
				Sub-total:	_____
<b>Lot I C: Activity Shirt</b>					
1	30	pcs	Activity Shirt (Layout attached)	_____	_____
<b>Lot III A: Training Supplies and Accessories</b>					
1	1	unit	<b>Air Compressor ( with hose and accessories ) 2 HP</b> 8.5 cfm @ 85 psi No. of Cylinder ( Piston ) : 2 Working Pressure: 85 - 115 psi Tank Capacity - 100 liters Input Voltage: 220V / 1ph / 60HZ	_____	_____
2	2	pcs	<b>Bolt Cutter, 30 - inch ( heavy duty)</b> A range of bolt in most size Chrome molybdenum steel with cutting jaws	_____	_____
3	2	pcs	<b>Bolt Cutter, 14 - inch ( heavy duty)</b> A range of bolt in most size Chrome molybdenum steel with cutting jaws	_____	_____
4	2	pcs	<b>Bolo Knife ( big )</b> Blade Materials: Molye/Leaf Spring Handle Materials: Wood Total Length: 13 inches , Width : 1.8 inches	_____	_____
5	6	pcs	<b>Carpenter Hammer (Standard)</b> Claw Hammer with fiberglass handle high quality & heavy duty	_____	_____

6	4	pcs	<p><b>Carpentry Tri Steel Square ( 16" x 24" ) ( 45 - 600 )</b>            High tempered aluminum for max durability            Lumber Scale - Board Feet Equivalent            Metric Conversion Table            Formula for squaring a foundation            Protective lacquered coating resists corrosion</p>	_____	_____
7	1	unit	<p><b>Chainsaw, 18 - inches ( 45 cm )</b>            Bar Length ( inches ) : 16 to 18            Displacement ( cm<sup>3</sup> ) : 40.2            Power output (kW/hp) : 2.0/2.7            Revolution per minute (rpm) MAX : 12800            Revolution per minute (rpm) idle : 2800            Weight (kg): 4.6</p>	_____	_____
8	1	unit	<p><b>Chainsaw, Replacement Chain, 18 inches ( 45 cm )</b>            Pitch: .325            Gauge: .063"            Guide Bar Length: 18 inches            Drive Link Count: 68</p>	_____	_____
9	1	unit	<p><b>Chainsaw, Replacement Chain 25 - inch ( 63 cm )</b>            Pitch: 3/8            Gauge: .063"            Guide Bar Length: 25"            Drive Link Count: 84</p>	_____	_____
10	2	pcs	<p><b>Cold Flat Chisel with Hand Guard, FLAT ( 1½" ) ( 16 - 332 )</b>            Ideal for cutting/shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets            Cold Chisel with Bi material hand guard            Powder - coated finish for easy visibility blade width: 1: / 25mm</p>	_____	_____
11	2	pcs	<p><b>Chisel with hand guard, pointed with hand guard ( 3/4 x 12" ) ( 16 - 329 )</b>            Ideal for cutting through and breaking up concrete            3/4 in. x 12 in. concrete chisel with handle guard</p>	_____	_____
12	1	unit	<p><b>Chipping Hammer ( Impact Energy min. 8J - 18J )</b>            Input Rating: 1,510W            Impact Energy: 18.6 J            Blows Per Minute (BPM) : 950 - 1,900            Sound Pressure Level : 75 db(A)            Sound Power Level: 95 db(A)            Noise K Factor: 2.5db(A)            Vibration Level: Chiselling Function with Handle: 8.0 m/s<sup>2</sup>            Vibration K Factor: Chiselling Function with Side Handle : 1.5m/s<sup>2</sup>            Net Weight: 10.8 kg            Power Supply cord: 5.0 m ( 16.4 ft)</p>	_____	_____
13	2	pcs	<p><b>Chipping Hammer bits, FLAT</b>            SDS MAX Cold Chisel ( 25 x 400 mm )</p>	_____	_____
14	2	pcs	<p><b>Chipping Hammer bits, POINTED</b>            SDS Max Bull Point 400mm</p>	_____	_____
15	1	unit	<p><b>Circular Saw with 26 cm, 10 1/4 inch Ø Blade (min. 2,000 watts)</b>            Continuous rating Input: 2,000w            Blade Diameter : 260/ 270 mm ( 10-1/4 / 10 - 5/8")            Max Cutting Capacity: 90° : 97° / 101mm ( 3-13/16" / 4" )            45° : 68/ 71 mm (2-11/16" / 2-13/16")</p>	_____	_____

50°: 61 / 63 mm (2-3/8" / 2-1/2")  
 No load Spedd ( RPM ) : 4,300  
 Vibration Leve: Cutting Wood: 2.5 m/s2 or less  
 Vibration K factor: Cutting Wood: 1.5 m/s2  
 Sound Pressure Level: 94 db(A)  
 Sound Power Level: 105 db(A)  
 Noise K Factor: 3 db(A)  
 Net Weight: 6.9 kg ( 15.2 lbs )  
 Power Suppy cord: 2.5 m ( 8.2 ft.)

16	2	pcs	<b>Circular Wood Saw blade replacement 10 1/4 inch Ø</b> Outer diameter: (mm) - 260, for wood Bore( mm) - 25.4 Kerf: ( mm) 2.15 Plate: ( mm) - 1.65 No of teeth - 60 Rake - 10° Tooth Shape: ATAFR	_____	_____
17	2	pcs	<b>Crescent wrench 10" alloy steel</b> Overall Length: 12.0 in Size: 0 in - 1.5 in Weight: 1.81 lb Type : adjustable Jaw Thickness: .5 in	_____	_____
18	2	pcs	<b>Demolition Hammer Bit, flat</b> 17 mm x 280 mm	_____	_____
19	2	pcs	<b>Demolition Hammer Bit, pointed</b> 17 mm x 280 mm	_____	_____
20	8	lights	<b>Digging Bar, 6 ft 1.85m Pointed &amp; Flat tip(Fabricated)</b> Solid Bar @ 1 /12 inch Ø	_____	_____
21	4	pcs	<b>Empty Plastic Container</b> 20 liter capacity Dimension: 15x35x39 cm	_____	_____
22	1	unit	<b>Electric Drill, reversible with 1/2 - inch chuck</b> Continuous rating input: 450W CapacitySteel: 10 mm (3/8") Net weight1.3 kg (2.8 lbs) Power supply cord2.0 m (6.6 ft)	_____	_____
23	2	pcs	<b>Electric Drill, bits for metal and wood</b> HSS-Tin Metal Drill Bit ( 1.5 - 10 mm )	_____	_____
24	2	set	<b>Electric Drill, Keyhole Saw Blade Set ( 3/4 to 5" ) for wood</b> Blade Diameter : 6-1/2" Blade Type(s) : Circular Saw Blade Tooth Material : Carbide Arbor Size : 5/8" Plate Thickness : .039" Maximum Speed (RPM) : 4,770	_____	_____
25	4	unit	<b>Extension Cord, 25 meters long , heavy duty (for outdoor use)</b> Cord Length: 25 m Cord Size: # 16 4 Sockets Thermal Cut Out Protection	_____	_____

26	4	pcs	<p><b>Folding Survivor's Shovel</b>                  Incorporated rain channels, suitable for outdoor usage                  Heavy duty steel construction                  Folding function provided compact packing                  Locking mechanism for easy and safe storage</p>	_____	_____
27	3	lights	<p><b>G.I Round Bar @ 25mmØ</b>                  ( Fabricated to: 15 pcs 25mmØ x 3.4 ft )</p>	_____	_____
28	4	pcs	<p><b>Hacksaw , 25-30 cm( 10-12)</b>                  Adjustable Frame accepts 10 - 12 inches hacksaw blades                  Durable metal frame</p>	_____	_____
29	10	pcs	<p><b>Hacksaw, replacement blade, heavy duty (for metal)</b>                  13.8" L x 1.8"W                  24 teeth</p>	_____	_____
30	2	pcs	<p><b>Hand Saw Wood, 18 inch</b>                  Cross Cut hand saw with wood handle</p>	_____	_____
31	2	pcs	<p><b>Hoist Sling/ Webbing Sling 3000kgs , 3 meters</b>                  100 High tenacity polyester webbing                  Working load limit 3 tons</p>	_____	_____
32	2	pcs	<p><b>Hoist Sling/ Webbing Sling 3000kgs , 6 meters</b>                  100 High tenacity polyester webbing                  Working load limit 3 tons</p>	_____	_____
33	4	pcs	<p><b>Level ( 24 inch )</b>                  Durable ,lightweight aluminum construction suited to all purpose view                  Yellow vial covers increase visibility and readability</p>	_____	_____
34	4	pcs	<p><b>Plier ( insulated ) 6 inch min.</b>                  Size: 6" (160 mm)                  Insulated handle                  Stand high pressure</p>	_____	_____
35	2	set	<p><b>Pressure Washer ( with hose and accessories ) set</b>                  Continuous rating input: 1,800W                  Max Pressure12 MPa (120 bar, 1,740 PSI)                  Max Flow Rate420 L/h                  Max Feed Temperature40 °C (104 °F)                  High Pressure Hose Length10 m (33 ft.)                  Sound Pressure Level72 dB(A)                  Net weight11 kg (24.3 lbs.)</p>	_____	_____
36	1	set	<p><b>Reciprocating Saw ( 1,200 W)</b>                  Continuous rating input1,200W                  Length of Stroke30 mm (1-3/16")                  Strokes Per Minute (SPM)0 – 3,000                  Capacity Pipe : 130 mm (3-1/2")                  Wood: 255 mm (10")                  Net weight3.2 – 3.3 kg (7.1 – 7.3 lbs.)                  Power supply cord2.5 m (8.2 ft)</p>	_____	_____
37	10	set	<p><b>Reciprocating Saw, Replacement Blade (6cm-10cm)for bi metal</b>                  Part Number792615-4                  Item Weight1.6 ounces                  Cutting capacity on steel plate: 3mm to 5mm                  Cutting capacity on aluminum: 3mm to 5mm</p>	_____	_____
38	10	set	<p><b>Reciprocating Saw, Replacement Blade (20cm-25cm) for wood</b>                  Teeth per inch - 6</p>	_____	_____

			Overall length - 152 mm Blade thickness - 1.2mm Application - For wood < 100mm		
39	6	pcs	<b>Ripping Bar / Crow Claw Bar</b> Height: 24 inch 3/4 diameter high - carbon steel Slotted claw and beveled ends for functionality and performance	_____	_____
40	1	pc	<b>Rotary Hammer drill bits, 25mm Ø</b> SDS MAX Cold Chisel ( 25 x 400 mm )	_____	_____
41	1	pc	<b>Rotary Hammer drill bits, 50mm Ø</b> SDS Max Scaling Chisel 50 x 400mm	_____	_____
42	2	pcs	<b>Rotary Rescue Saw, replacement blade for concrete, diamond blade</b> Blade Diameter : 14" Arbor (diamond blades) : 1", 20mm Application (diamond blades) : Asphalt, Green Concrete, Sandstone Rim Type : Segmented Tool Compatibility : Power Cutter, Cut-off Saw	_____	_____
43	8	pcs	<b>Rotary Rescue Saw ,replacement blade for metal 14" Ø</b> Blade material: Bi-Metal Total length: 6"/152MM Thickness of the blade: 0.9MM Tooth per inches (TPI): 14 Metal Plate: 3-8mm Pipe: 10-100mm	_____	_____
44	2	pcs	<b>Rotary Rescue Saw ,replacement blade for wood 14" Ø</b> Outer Diameter 14" (355mm) No. of Teeth 100T Bore (mm) 25.40 Ring (mm) 25.00 Kerf (mm) 3.40	_____	_____
45	10	pcs	<b>Safety Cones (18")</b> Material: PVC Color: Orange+ Silver +Black Reflective Collar Size: 4 in x 10 cm	_____	_____
46	1	roll	<b>Scene Tape Roll ( 300 m )</b> Polypropylene 3 inches x 300 meters Caution Tape		
47	10	pcs	<b>Spray Paint Cans</b> Color: International flourescent orange content: 400 cc	_____	_____
48	16	pcs	<b>Shackle Galvanized Anchor Shackles 5/8 inch ( 3.25T)</b> Working Load: 3 - 1/4 tons Pin diameter: 3/4 Inside Lengths:2-3/8" Inside Width at Pin: 1-1/16 Weight: 0.76 kg	_____	_____
49	2	set	<b>Screwdriver set, slot and philips head ( various sizes )</b> 1 x Philips: 1 x 100 mm 1 x Philips: 1 x 150 mm 1 x Slotted Parallel: 5 mm x 100 mm 1 x Slotted Parallel: 5 mm x 150 mm	_____	_____

			1 x Slotted: 6.5 mm x 150mm		
			1 x Slotted: 5mm x 100mm		
50	2	pcs	<b>Shovels, Round Head with wooden handle, heavy duty</b>	_____	_____
51	2	pcs	<b>Shovels, Square Head with wooden handle, heavy duty</b>	_____	_____
52	4	pcs	<b>Sledge Hammer with TPR Handle min. ( 3 lbs )</b>	_____	_____
			Drop - forged hammer head		
			Heat treatment		
			Ground polished		
			with fiberglass handle		
			High quality & Heavy duty		
53	4	pcs	<b>Sledge Hammer, min. 12 lbs</b>	_____	_____
			Drop - forged hammer head		
			with fiberglass handle		
			High quality & Heavy duty		
54	2	pcs	<b>Tin Snips 10"</b>	_____	_____
			Cuts up to 25 gauge (0.56mm) cold rolled steel or 28		
			gauge (0.38mm) stainless - steel		
			Fully-polished steel blades are forged to stay sharp for durability		
55	4	unit	<b>Ventilation Fan ( 12" )</b>	_____	_____
			Industrial Portable Air Blower Ventilator		
			Rated Voltage: 220V		
			50/60Hz		
56	2	unit	<b>Ventilation Fan with Duck Hose Flexible 8" inch, heavy duty</b>	_____	_____
			Industrial Portable Air Blower Ventilator		
			Rated Voltage: 220V		
			50/60Hz		
			Includes: Spiral non-flammable duct ( 5 meters )		
57	1	unit	<b>Wire Rope Pulling Hoist</b>	_____	_____
			Capacity: 1600 kgs	Sub-total:	_____
			With Wire Rope 20m model rated cap		
			<b>Lot III B: Medical Equipment</b>		
1	20	rolls	Bandage 6" ( Creep Bandage )	_____	_____
2	2	pcs	Backboard, long with spider straps	_____	_____
3	2	set	BP Aparatus Set ( Steth & Aneroid ) Manual	_____	_____
4	2	pcs	Cervical Collar ( Adult )	_____	_____
5	1	box	Latex Gloves ( Box of 50's )	_____	_____
6	2	set	Medical First Responder Box, complete set	_____	_____
7	2	pcs	Nasal Cannula Adult	_____	_____
				Sub-total:	_____
			<b>Lot III C: Fuel (Note: As per withdrawal basis)</b>		
1	100	ltrs	Gasoline	_____	_____
			<b>Lot III D: Oil &amp; Lubricant</b>		
1	1	ltrs	2T Cycle Oil	_____	_____
2	1	ltrs	Chainsaw Oil	_____	_____
				Sub-total:	_____
			<b>Lot III G: Other Equipment and Tools</b>		
1	3	pcs	<b>Fire Extinguisher , 20 lbs, dry chemical , type BC</b>	_____	_____
			Dry Chemical		
			Contains Siliconized Sodium Bicarbonate Base		

**Lot III H: Other Equipment and Tools**

1	2	unit	<b>Hydraulic Jack, 12 tons</b> Minimum Height: 9 - 1/16 Maximum: 18 - 12" Lifting Height: 6 - 1/8" Screw Top Diameter : 1 - 9/16" Piston Diameter: 1 - 3/4	_____	_____
---	---	------	---	-------	-------

**Lot IV A: Hardware ( Delivery Term: 15 Working Days )**

1	15	sht	1/4 x 4' x 8' Ordinary Plywood	_____	_____
2	15	sht	1/2 x 4' x 8' Ordinary Plywood	_____	_____
3	1	sht	3/4 x 4' x 8' Ordinary Plywood	_____	_____
4	100	pcs	Bolt 16mm x 2inch with nuts and washer	_____	_____
5	4	pcs	Bucket Steel, heavy duty ( 10 L Cap. )	_____	_____
6	5	sht	Corrugated G.I Roofing 8", Gauge 26	_____	_____
7	5	kilos	C.W Nails 2"	_____	_____
8	10	kilos	C.W Nails 4"	_____	_____
9	12	lgths	G.I Pipe 1 1/2 in x 6m ( Sch. 20 )	_____	_____
10	6	lgths	G.I Pipe 2 in x 6m ( Sch. 40 )	_____	_____
11	20	lgths	G.I Pipe Clamp for 1 1/2 in	_____	_____
12	3	pcs	Metal Abrasive Blade 14"	_____	_____
13	2	pcs	Metal Grinding Disc 4"Ø ( heavy duty )	_____	_____
14	10	pcs	Metal Cutting Disc, heavy duty ( Super Thin ) 4 " Ø	_____	_____
15	2	rolls	Nylon Wire # 100	_____	_____
16	6	pcs	Tape Measure ( min 5 meters )	_____	_____
17	10	mtrs	Transparent Plastic Hose Level, 10mm dia	_____	_____
18	6	kilos	Umbrella Nails # 2"	_____	_____
19	6	kilos	Welding Rod 6013	_____	_____

Sub-total: \_\_\_\_\_

**Lot IV C: CHB ( Delivery Term : 15 Working Days )**

1	80	pcs	Conc. Hollow Block, 4" x 8" x 16"	_____	_____
---	----	-----	-----------------------------------	-------	-------

**Lot IV D: Sand ( Delivery Term: 15 Working Days )**

1	3	cu.m.	Washed Mixing Sand	_____	_____
---	---	-------	--------------------	-------	-------

**Lot IV E: Gravel ( Delivery Term: 15 Working Days )**

1	1	cu.m.	Screened Mixing Gravel 1"Ø max.	_____	_____
---	---	-------	---------------------------------	-------	-------

**Lot IV F: Bricks ( Delivery Term: 15 Working Days )**

1	1300	pcs	Bricks 2" x 4" x 8" (inches)	_____	_____
---	------	-----	------------------------------	-------	-------

**Lot IV G: Lumber ( Delivery Term: 15 Working Days )**

1	10	pcs	Good Lumber 2" x 4" x 3m	_____	_____
2	10	pcs	Good Lumber 2" x 4" x 4m	_____	_____
3	31	pcs	Good Lumber 4" x 4" x 3m	_____	_____
4	10	pcs	S4S 2" x 3" x 8ft.	_____	_____

Sub-total: \_\_\_\_\_

**Lot IV H: Canopy ( Delivery Term : 15 Working Days )**

1	2	set	<b>10 Ft x 10 Ft Canopy, ( Heavy Duty, dismantle design )</b> Post/Pole 1 1/4 G.I Pipe ( sche 20 ) Double Beam Design - 1/2" Ø G.I Pipe ( sche. 20 ) Tarp - Original Maruyama Trapal in machine heat press (S400) Fully Weld with silver grey paint upon finish	_____	_____
---	---	-----	---	-------	-------

2	2	set	<b>10 Ft x 20 Ft Canopy, ( Heavy Duty, dismantle design )</b> Post/Pole 1 1/4 G.I Pipe ( sche 20 ) Double Beam Design - 1/2" Ø G.I Pipe ( sche. 20 ) Tarp - Original Maruyama Trapal in machine heat press (S400) Fully Weld with silver grey paint upon finish	_____	_____
---	---	-----	---	-------	-------

3	4	mtrs	Tarps, 3 x 3 Meters,	_____	_____
4	6	mtrs	Tarps, 6 x 6 Meters	_____	_____

	Sub-total:	_____
--	------------	-------

**Lot V B: Streamers**

1	1	pc	Backdrop 4x6 ft (Layout attached)	_____	_____
2	1	pc	Welcome Streamer 96x36 inches (Layout attached)	_____	_____

	Sub-total:	_____
--	------------	-------


	<b>TOTAL</b>	=====
--	--------------	-------

PURPOSE: To be used during the Collapsed Structure Search and Rescue Course of San Carlos City Disaster Risk Reduction and Management Office on October 13-24, 2024.

\_\_\_\_\_  
Company Name / Business Name & Address

\_\_\_\_\_  
Name / Signature of Representatives

\_\_\_\_\_  
Form & Amount of Bid Security





## INSTRUCTION TO BIDDERS

**PURCHASE REQUEST NO** : 401-24-07-1236 **DATE** : July 26, 2024  
**PURPOSE:** TO BE USED DURING THE COLLAPSED STRUCTURE SEARCH AND RESCUE COURSE OF SAN CARLOS CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE ON OCTOBER 13-24, 2024.  
**OFFICE :** CDRRMO  
**DATE OF OPENING & DEADLINE FOR THE SUBMISSION OF BIDS :** 1:30 P.M. , **September 24, 2024**  
**PLACE :** BAC Secretariat Office/CMO Extension Office

	<u>AMOUNT OF CONTRACT</u>	<u>BID SECURITY</u>	
		Cash/ Manager's Check/ Bank Draft/Guarantee (2% of ABC)	Surety Bond (5% of ABC)
Lot 1-A	: 150,000.00	: 3,000.00	: 7,500.00
Lot 1-B	: 372,600.00	: 7,452.00	: 18,630.00
Lot 1-C	: 24,000.00	: 480.00	: 1,200.00
Lot 3-A	: 562,667.00	: 11,253.34	: 28,133.35
Lot 3-B	: 23,676.00	: 473.52	: 1,183.80
Lot 3-C	: 6,623.00	: 132.46	: 331.15
Lot 3-D	: 455.00	: 9.10	: 22.75
Lot 3-G	: 9,600.00	: 192.00	: 480.00
Lot 3-H	: 7,150.00	: 143.00	: 357.50
Lot 4-A	: 74,699.00	: 1,493.98	: 3,734.95
Lot 4-C	: 2,000.00	: 40.00	: 100.00
Lot 4-D	: 3,900.00	: 78.00	: 195.00
Lot 4-E	: 1,400.00	: 28.00	: 70.00
Lot 4-F	: 26,000.00	: 520.00	: 1,300.00
Lot 4-G	: 52,970.00	: 1,059.40	: 2,648.50
Lot 4-H	: 128,820.00	: 2,576.40	: 6,441.00
Lot 5-B	: 750.00	: 15.00	: 37.50

### TERMS & CONDITIONS

- The Bid/Bids shall be accompanied by a BID SECURITY in any of the following forms:
  - Cash or cashier's / Manager's Check issued : Two percent (2%) of the ABC (See above) by a Universal or Commercial Bank in favor of City Treasurer of San Carlos City.
  - Bank draft/guarantee or irrevocable letter of credit : Two percent (2%) of the ABC (See above) issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.
  - Surety Bond callable upon : Five percent (5%) of the ABC (See above) demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.
  - Any combination of the foregoing : Proportionate to share form with respect to total amount of security
  - Bid Securing Declaration
- Secure bidding documents from the BAC Secretariat Office at a non-refundable fee of ₱ 5,000.00 ( per City Ordinance No. 23-21, Series of 2023.)
- Sample or Brochures of the materials (if required) shall be attached to the bid documents.
- Your price offer must be valid for 120 calendar days.
- Award will be made to the Lowest Calculated Responsive Bid (LCRB) that is the most advantageous to the government subject to post evaluation by the BAC.
- Submit Omnibus Sworn Statement duly notarized, together with your bid.
- The government reserves the right to reject any or all bids, declare a failure of bidding or not award the contract based on RA 9184.
- Electronic submission and receipt of bids is not available pending compliance with GPPB Resolutions.

SGD  
**ATTY. MA. CHAT H. DELIMA-CORDERO**  
City Gov't Dept. Head I-OHRM / BAC Chairman  
**BIDS & AWARDS COMMITTEE**