## Republic of the Philippines City of San Carlos Negros Occidental

SHEET NO. 1

## INVITATION TO BID

PURCHASE REQUEST NO: 1-25-06-1038

Page 1 of 2

Sealed bids for quotation of prices will be received for the purchase of the following supplies, materials and equipment of the government to be opened on the date, place and time stated in **INSTRUCTION TO BIDDERS**.

ITEM#	QTY.	UNIT	ARTICLES	White I	U PRICE	TOTAL
	- 1	77	Delivery Term: 30 Calendar Da	ys upon receipt of P.C	D.	
1	1	unit	Mini Fu <mark>sion Machine Splicer for Fib</mark>	<mark>e</mark> r Optic _	00	
			High-Precision Cleaver	1 5	400	
	- 4		Extra Electrode	// ≥ / I		
			Fiber Stripper Drop Cable Stripper			
			Cooling Tray		(60) /	
			Battery  AC Adapter and Cable			
		1	AC Adapter and Cable  Quick Guide			
			Inspection Certification			
			Alcohol Bottle Hand and Shoulder Strap Carrying Case Splice loss: SM: 0.02dB			
		1				
			MM: 0.01dB			
			DS: 0.04dB			
			NZ/NZDS: 0.04dB			
			BI: 0.02dB			
			PAS core alignment system compatible all sorts of optical fiber types			
0	4	unit	4000 mAH battery capacity over 24		ng	
2	1	unit	Multifunctional OTDR Fiber Optic T	-		
			Easy to use Event editing function Trace storage function SD data interface USB data output graphical display of trace storage Easy to operate PC analysis software Measure data backup			
			Archive management			
			AC and DC power supply			
			Display	Singlemode 3.5- inch tou	ch screen	
			Wavelength	1310/1550nm		
			Maximum dynamic range	30/28dB		
3	1	roll	24 Core Fiber Optic Cable	-		
			Application	Outdoor	EDD. O O DDT	
			Product code	FOC-R-HDPE-BC+2x1.0	-FKP+2.8-PBT-	
			Loose tube material and diameter	24XG657A1-6.0		
			Loose tube material and diameter	PBT,2.8(+0.05)mm		

24 Fiber core Fiber core options G.652.D G.657A1 G657A2 Cable jacket color Black Sheath material **HDPE** Cable dimension,mm 6.0(+0.2)Tensile strength, N 3000 Application temperature,Co -50 to +70 Certification IEC-60794-1-2 ISO9001:2005 Length 1000/2000 m per drum roll 48 Core Fiber Optic Cable Fiber Count 48 Number of Fiber per PBT Tube 12 Number of PBTTube Diameter perPBT Tube 1.3mm Jacket Thickness per PBT Tube 0.5mm Jacket Diameter 4.5mm Bending Radius Static 10D, Dynamic 20D Operation/Storage/transport temperature -40° C to +70° C Installation temperature -20°C to +70°C Temperature characteristics of 6.6.1 in YD/T 1460.4-2006 attenuation 70°C, no filling compound and coating compound Seepage drop out Method F6 in GB / T 7424.2-2008 Water penetration 1m high water is applied on the whole I cross section of 3m long cable, and no water comes out in 24 hours Method F5B in GB/T 7424.2-2008 Standards YD / T 1460.4-2006 communication blowing micro cables and fiber units Part 4: Micro-cable Inclusion: With free orientation on the use and maintenance of the purchase item PURPOSE: TOTAL To be used by the Emergency Operations Center (EOC) of City Disaster Risk Reduction and Management Office (CDRRMO) Technical Team. Company Name / Business Name & Address Name / Signature of Representatives Form & Amount of Bid Security

Strength member material and size FRP rods, 1.0mm

## INSTRUCTION TO BIDDERS

**PURCHASE REQUEST NO** : 1-25-06-1038 **DATE: June 20, 2025** 

TO BE USED BY THE EMERGENCY OPERATIONS CENTER (EOC) OF CITY DISASTER RISK PURPOSE:

REDUCTION AND MANAGEMENT OFFICE (CDRRMO) TECHNICAL TEAM.

OFFICE: **CDRRMO** 

DATE OF OPENING & DEADLINE FOR THE SUBMISSION OF BIDS: 1:30 P.M., July 22, 2025

PLACE: BAC Secretariat Office/CMO Extension Office

AMOUNT OF CONTRACT

BID SECURITY

Cash/ Manager's Check/

Surety Bond

Bank Draft/Guarantee (2% of ABC)

(5% of ABC)

632,480.00

12,649.60

31,624.00

## **TERMS & CONDITIONS**

The Bid/Bids shall be accompanied by a BID SECURITY in any of the following forms:

a) Cash or cashier's / Manager's Check issued by a Univ<mark>ersal or Commerc</mark>ial Bank

: Two percent (2%) of the ABC (See above)

in favor of City Treasurer of San Carlos City.

b) Bank draft/guarantee or irrevocable letter of credit issued by a Uni<mark>versal or Commercial Bank:</mark>

: Two percent (2%) of the ABC (See above)

Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.

c) Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance

Commission as authorized

: Five percent (5%) of the ABC (See above)

to issue such security. d) Any combination of the foregoing

: Proportionate to share form with respect to total amount of security

e) Bid Securing Declaration

Secure bidding documents from the BAC Secretariat Office at a non-refundable fee of ( per City Ordinance No. 23-21, Series of 2023.)

P 1,000.00

- 3. Sample or Brochures of the materials (if required) shall be attached to the bid documents.
- 4. Your price offer must be valid for 120 calendar days.
- 5. Award will be made to the Lowest Calculated Responsive Bid (LCRB) that is the most advantageous to the government subject to post evaluation by the BAC.
- 6. Submit Omnibus Sworn Statement duly notarized, together with your bid.
- The government reserves the right to reject any or all bids, declare a failure of bidding or not award the contract based on RA 9184.
- Electronic submission and receipt of bids is not available pending compliance with GPPB Resolutions.

SGD

ATTY. MA. CHAT H. DELIMA-CORDERO City Gov't Dept. Head I-OHRM / BAC Chairman **BIDS & AWARDS COMMITTEE**