




Republic of the Philippines
CITY GOVERNMENT OF SAN CARLOS
Province of Negros Occidental



**BIDS AND AWARDS COMMITTEE
(BAC)**

BIDDING DOCUMENTS

**FOR
7960**

PURCHASE REQUEST NO. 1-25-03-0514

APPROVED BUDGET OF THE CONTRACT (ABC): PHP 4,500,000.00

PURCHASE OF ONE (1) UNIT BRAND NEW AMBULANCE VEHICLE

(First Envelope: Eligibility and Technical Components)

SUBMITTED BY : _____
ADDRESS : _____
CONTACT NO. : _____
EMAIL AD : _____

DATE OF SUBMISSION

INSTRUCTIONS TO BIDDERS

1. Please submit sets of documents completely in two separate envelopes:
The *First Envelope (Original, Copy 1 and Copy 2)* containing Eligibility and Technical Documents and the *Second Envelope (Original, Copy 1 and Copy 2)* containing Financial Documents.
2. Check that all annexes are in accordance with the prescribed format and submit in chronological order. Non-compliance is ground for disqualification.
3. Submit your completed bid documents on or before the time of the opening of bids mentioned below.
4. Electronic submission and receipt of bids is not available pending compliance with GPPB Resolutions.

Compliance of the above is for mutual advantage, i.e. to facilitate a complete and thorough evaluation of your bid documents.

SCHEDULES

Schedule/Place of Pre bid Conference:

April 10, 2025 @ 8:30 A.M.
BAC Secretarial Office
2F City Hall Building

Schedule/Place of Bid Opening:

April 22, 2025 @ 1:30 P.M.
BAC Secretarial Office
2F City Hall Building

Nonrefundable fee of Bidding Documents @ Php 5,000.00

Bid and Awards Committee
City of San Carlos

Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

CHECKLIST OF ELIGIBILITY AND TECHNICAL PROPOSAL/REQUIREMENTS

1. PHILGEPS Certificate of Registration and membership in accordance with Section 8.5.2 of R.A 9184 – Platinum Membership
2. Joint Venture Agreement (JVA), if applicable
3. Net Financial Contracting Capacity (NFCC) based on the data submitted to the BIR thru its EFPS or Committed Line of Credit (CLCC) from a Universal or Commercial Bank
4. Duly Notarized Statement of all on-Going Government and Private Contracts.
5. Duly Notarized Statements of:
 - a. At least **one (1)** Completed Similar Contracts (Government or Private) for the last **three (3)** years.
 - b. Single Largest Completed Contract (SLCC) at least 50% of the total ABC.
6. Bid Security in any of the following forms:
 - a) Cash or cashier's / Manager's Check issued by a Universal or Commercial Bank in favor of the City Treasurer of San Carlos City : Two percent (2%) of the ABC
 - b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank. Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank. : Two percent (2%) of the ABC
 - c) Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. : Five percent (5%) of the ABC
 - d) Any combination of the foregoing : Proportionate to share form with respect to total amount of security
 - e) Bid Securing Declaration (Please see attached Form)
7. Omnibus Sworn Statement in accordance with Sec. 25.3 (Please see attached Form)

X-X


**Bids and Awards Committee
City of San Carlos**

**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

- 1. PHILGEPS CERTIFICATION OF REGISTRATION AND MEMBERSHIP
IN ACCORDANCE WITH SECTION 8.5.2 OF R.A 9184 – PLATINUM
MEMBERSHIP**



**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

2. JOINT VENTURE AGREEMENT (JVA), IF APPLICABLE




**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

**3. NET FINANCIAL CONTRACTING CAPACITY (NFCC) BASED ON THE DATA
SUBMITTED TO THE BIR THRU ITS EFPS OR COMMITTED LINE OF
CREDIT (CLCC) FROM A UNIVERSAL OR COMMERCIAL BANK**




**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

**4. DULY NOTARIZED STATEMENT OF ALL ON - GOING GOVERNMENT
AND PRIVATE CONTRACTS**




**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

5. DULY NOTARIZED STATEMENTS OF:

- A. AT LEAST ONE (1) COMPLETED SIMILAR CONTRACTS (GOVERNMENT OR PRIVATE) FOR THE LAST THREE (3) YEARS
- B. SINGLE LARGEST COMPLETED CONTRACT (SLCC) AT LEAST 50% OF THE ABC



**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

6. BID SECURITY

- a) Cash or cashier's / Manager's Check issued by a Universal or Commercial Bank in favor of City Treasurer of San Carlos City. : Two percent (2%) of the ABC (See above)
- b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank. : Two percent (2%) of the ABC (See above)
- c) Provided, however, that is shall be confirmed or authenticated by a Universal or Commercial Bank. : Five percent (5%) of the ABC (See above)
- d) Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. : Proportionate to share form with respect
- e) Any combination of the foregoing : Proportionate to share form with respect
- f) Bid Securing Declaration
(Please see Form Below)

REPUBLIC OF THE PHILIPPINES)
CITY OF SAN CARLOS, NEGROS OCCIDENTAL) S.S.

**BID SECURING DECLARATION
Project Identification No. / Purchase Request (PR) No. : 1-25-03-0514**

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

7. OMNIBUS SWORN STATEMENT

for

Purchase Request (PR) No. 1-25-03-0514

REPUBLIC OF THE PHILIPPINES)
CITY OF SAN CARLOS, NEGROS OCCIDENTAL) S.S

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]


[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]



Republic of the Philippines
CITY GOVERNMENT OF SAN CARLOS
Province of Negros Occidental



**BIDS AND AWARDS COMMITTEE
(BAC)**

BIDDING DOCUMENTS

PURCHASE REQUEST NO. 1-25-03-0514

APPROVED BUDGET OF THE CONTRACT (ABC): PHP 4,500,000.00

PURCHASE OF ONE (1) UNIT BRAND NEW AMBULANCE VEHICLE

(Second Envelope: Financial Component)

SUBMITTED BY : _____
ADDRESS : _____
CONTACT NO. : _____
EMAIL AD : _____

DATE OF SUBMISSION

INSTRUCTIONS TO BIDDERS

1. Please submit sets of documents completely in two separate envelopes:
The *First Envelope (Original, Copy 1 and Copy 2)* containing Eligibility and Technical Documents and the *Second Envelope (Original, Copy 1 and Copy 2)* containing Financial Documents.
2. Check that all annexes are in accordance with the prescribed format and submit in chronological order. Non-compliance is ground for disqualification.
3. Submit your completed bid documents on or before the time of the opening of bids mentioned below.
4. Electronic submission and receipt of bids is not available pending compliance with GPPB Resolutions.

Compliance of the above is for mutual advantage, i.e. to facilitate a complete and thorough evaluation of your bid documents.

SCHEDULES

Schedule/Place of Pre bid Conference: April 10, 2025 @ 8:30 A.M.
BAC Secretarial Office
2F City Hall Building

Schedule/Place of Bid Opening: April 22, 2025 @ 1:30 P.M.
BAC Secretarial Office
2F City Hall Building

Nonrefundable fee of Bidding Documents @ Php 5,000.00

**Bid and Awards Committee
City of San Carlos**

Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle


LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

CHECKLIST OF FINANCIAL PROPOSAL/REQUIREMENTS

1. Duly Signed Bid Form

x-x

Bids and Awards Committee
City of San Carlos



**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

1. DULY SIGNED FORM OF BID

Date : _____

Project Identification / Purchase Request No. :1-25-03-0514

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Of agent	Amount Currency	Purpose of Commission or gratuity
------------------------------	--------------------	--------------------------------------

_____	_____	_____
_____	_____	_____

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

**Republic of the Philippines
City Government of San Carlos
Province of Negros Occidental**

CONTRACT NAME: Purchase of One (1) Unit Brand New Ambulance Vehicle

LOCATION OF THE CONTRACT: San Carlos City, Negros Occidental

Project Identification / Purchase Request No. : 1-25-03-0514

SPECIFICATIONS

STOCK NO.	QTY	UNIT	ITEM DESCRIPTION
1	1	unit	<p>Purchase of One (1) Unit Brand New Ambulance Vehicle</p> <p>BRAND NEW EMERGENCY VEHICLE</p> <p>Base Vehicle : 2.8 Diesel M/T Overall Dimensions (mm) : (5,200-5,300) x (1,900-2,000)x (1,900-2000) Wheelbase (mm) : 3,200 - 3,300 Engine Type : 4 Cylinders, In-line Type 16-Valve DOHC Engine Displacement (cc) : 2,700 - 2,800 Maximum Output (ps/rpm) : (170-180) ps / (3,000-3,500) rpm Maximum Torque (Nm/rpm) : 420- 430 Nm / 1,400 ~ 2,600 rpm Fuel Capacity (L) : 50-70 Power Transmission : 6-Speed Manual Front Brake/Rear Brake : Ventilated Discs / Drums Tires : 215 - 220/ 70 - 70.5 R16C Wheels (size) : 7J - 8J x 16" - 16.5" Steel with Full Cap</p>

**PATIENT TRANSPORT CONVERSION AND SUPPLY OF
AMBULANCE EQUIPMENT AND ACCESSORIES:**

Fully customized ambulance with the following features:
Medical cabinet made of GRP (Glass Reinforced Plastic)
Ambulance furniture have rounded edges or cushioned corners for safety
Transparent and shatter proof acrylic stopper/sliding doors on all storage compartments
On board 220VAC electrical system 1500W
Driver/Crew partition with sliding tempered glass window
Aluminum/Stainless stretcher platform with ramp and under storage for one scoop stretcher
Spine Board Holder with straps
Roof mounted ventilator with shutter
Complete interior lighting (All LED) with one scene light installed on the rear lift door
One (1) 15 lbs oxygen tank with stainless holder with regulators
Stainless overhead grab handle
Doctor's seat with seat belt
Side squad bench with under seat storage
Non slip, heavy duty ambulance grade flooring with bacteriostatic properties, easy to clean hard wearing

AMBULANCE EQUIPMENT

1. Cot - 1 set with front and rear fasteners

Self-Loading stretcher with housing for spine board
CE Certified
Material : Stainless Steel, Aluminum and Polyethylene
Construction : Fully Welded Frame Work
Loading capacity : 160-180 kg
Adjustable backrest

Anti shock positions and Trendelenburg
Brakes on rear wheels
Foldable side bars/safety bars
Foldable loading carriage
Crash assist system
With integrated spine board storage underneath the back board

Standard Accessories:

- 2 Pcs Black reflex metal belts
- 1 pc Black PVC water tight anatomic mattress
- 1 pc Forward fastener
- 1 pc Rear fastener
- 1 pc PE patient board

2. Scoop Stretcher - 1 pc

CE Certified
3 Blade design
Material : Aluminum
Loading Capacity : 140-150kg
Standard Accessories : 3 pcs one piece belt

3. Spinal Board with Pin - 1pc

Materials : Polyethylene
Number of Handles : 12-14
Number of PIN: 8 - 10
Loading capacity : 160-180 kg

4. Compact universal head immobilizer - 1pc

CE Certified
Technical data
Base dimensions (buttonhole exluded) :
(360-365) x (250-260) x (18-20) mm
Pillow dimensions (1 piece) : (250-255) x (80-90)x (150-160)mm
Hole for ear inspection : diameter= 68-70 mm
Materials : PE, PVC, Nylon
Adjustable frontal and chin straps with soft and high adhesion
paddings to optimize the immobilization
Pillows made of non-absorbent material for an easy sanitation
Large holes for ear inspection

5. Reflective universal spider straps system for spine boards -1pc

CE Certified
Material : Nylon-Polypropylene
Width of Strap : 53mm
No. of Connections : 10
V Tape Length : 250mm (min) - 520mm (max)
Transversal Tape 1 Length : 750mm (min) -1350mm (max)
Transversal Tape 2 Length : 600mm (min) - 1250mm (max)
Transversal Tape 3 Length : 550mm (min) - 1110mm (max)
Transversal Tape 4 Length : 480mm(min) - 820mm (max)
Color Coded Straps with reflective inserts for added visibility
4 Transversal Tapes, 3 are removable

6. Transport/Stair chair with four wheels with fastener - 1 set

CE Certified
Materials : AL, Steel, PU, PVC
Seat/Back Rest Material : double layered anti-scratch polyethylene
Length with closed handles : 700-720 mm
Length with opened handles : 1050-1110 mm
Width : 450-500 mm
Height Deployed : 900-920 mm
Dimension Folded : (250-270) x (460-490) x (900-920) mm
Loading Capacity : 160-180kg

PVC Sheets for easy sanitation
2 Rear Foldable Handles to save space inside the vehicle
Zero maintenance pressure released telescopic handle
Folding foot rest
Self positioning foot rest with brakes

Fastener for transport/stair chair

Material : Polyethylene, Nylon, AL
Designed for easy and secure mounting of the transport/stair chair
With highly visible RED locking knob for easy release and locking

7. 4 pcs Collar Kit with Bag

CE Certified
Material : PE, Nylon
Sizes Included : XS, S, M, L

8. Rigid Splints with flexible internal structure

CE Certified
Material : Neoprene, AL, Nylon
Types of Splints, Size & Weight:
Leg : (560-580) x (440-460) mm ; 500-520 g
Arm: (580-600) x (260-280) mm ; 430-450 g
Forearm: (380-400) X (280-300) mm ; 260-280 g
Wrist: (300-320) x (230-250) mm ; 220-230 g
Elbow/Ankle: (530-550) x (280-300) mm ; 380-400 g

Features:

Flexible moldable aluminum core
Quick release fasteners with buckles
Can be used as armrest during intravenous infusions
Made of soft materials for comfort
Standard Accessory:
Transport Bag

9. Extrication/Spine Immobilization

CE Certified
Dimension (mm) : (800-850) L x (850-900) W x (20-25) at thickest point
Belts Length : 73cm-75cm
Loading Capacity : 228kg-230kg
Color Coded Belt System
PVC Coated for easy sanitation
With Cushion for the nuchal area

10. Traction / Immobilization Splint (Adult) – 1 Set

serrated traction mechanism and "S" shaped coupler
supporting feet and ring for the release of the blocking coupler
four padded support straps for the leg
strap and ischial padding
extendable strap for the ankle
transport bag

Minimum length (1) : 890 ± 10 mm
Maximum length (1) : 1350 ± 10 mm
Width : 200 mm - 210 mm
Base width : 220 mm - 230 mm
Leg support zone width : 160 mm - 170 mm
Traction belt length : from 0 to 500 mm
Slope : 10° (variable depending on the extension)
Materials : Steel, Al, Nylon

11. Portable suction device with 10G wall fixing with auto recharger-1 Set

CE Certified
10G Compliant
with auto charging wall mount
with fall protection system
Vacuum Range : from 50 to 555 mmHg
Free flow Suction : : 30-35 L/min
IP Grade : IP12
Operating Time : 25-30 min. On, 25-30 min. Off
Vase Capacity : 800ml-1000ml autoclavable
Patient Tube Length : 1.5m - 2m
with UNI EN 1789 certification
Compliant with ISO 100079-1
With LED indicators for vacuum setting
Durable drop proof polyethelene shell, protection for bumps and accidental drops
Quickly detached from the charger mount with single push locking mechanism
Automatically recharges once mounted
Standard Accessories :
10G mount with charging system
Battery 12V DC Ni-MH
800ml -1000ml autoclavable canister
1.5m - 2m patient tube
Shoulder strap for easy carrying

12. Aneroid Sphygmomanometer with large dial and protection and Stethoscope

CE Certified
Material : PE, Nylon, Rubber, AL
Extended cuff dimension : (520-540) x (130-150) mm
Rubber protection dimension : 220x150 mm
Dial diameter : (120-140) mm
Pipe length : 50cm
Spiral pipe length : from 15 to 172cm
Manometer range : 0-300 mmHg
MD class Im CE marked according to Dir. 93/42/CEE
Conforms to UNI EN ISO 81060-1
Highly Visible Dial with Rubber Protection
Spiral connection pipe to sphygmomanometer
Dial with numbering at 20mmHg and division of 2 mmHg
Compartment for housing the cuff and accessories
Integrated elastic band in the compartment

Stethoscope

Technical data :
maximum diameter : 31mm (min) - 45mm (max)
Tubes length : 55cm - 60cm
Lightweight
With metal clips on both tubing to minimize movement
Comes with spare ear tips (2 Big, 2 Small)
High Visibility Yellow

13. Regulator with Humidifier Group

Chromed brass structure
Inlet filter in sintered bronze
Graded gauge 38mm-40 mm diameter with precision class 2,5
Incoming pressure: 220 -240 bar
Outgoing pressure: adjustable from 0 to 4 bar (pre- fixed 4 bar)

Safety valve pre-fixed
Inlet connection CGA 540
Outgoing connection: 5mm- 7mm connector
Weight: 1,2 kg \pm 10%
Functioning temperature: from -20 to +50 °C

Humidifier Group Specifications:

Flowmeter with probe
Nominal pressure : 330-350 kPa
Flow From 0 to 15 l/min
Deliverable gas Oxygen
Materials PC, anodized Al, Brass
Humidifier
Max. volume 120-140 mL
Operating pressure 330 - 350 kPa
Max pressure 450 - 600 kPa
Max flow 18-20L/min
Materials PC, Al

14. Trauma Bag (Fully Stocked)

Rubberized bottom panel, hook and loop fastener handle closures, three rows of elastic loops sewn into the lid
Reflective strips for added visibility, removable padded liner with adjustable velcro dividers
Two generous exterior pockets with hook and loop fastener attached removable pouches with a clear vinyl see-through window and multiple elastic loops to help organize your equipment waterproof bottom

Contents:

- 1 - Pot Belly Stethoscope
- 1 - Aneroid Sphygmomanometer (BP cuff w/gauge)
- 1 - CPR mask w/one-way valve (adult/pediatric size)
- 1 - Foil Baby Bunting
- 1 - 5½" Bandage Scissors
- 1 - Diagnostic Penlight
- 1 - Kelly 5½" Straight Forceps
- 1 - CPR Face Shield with 2 Gloves (medium, latex)
- 1 - Bite Stick
- 1 - Emergency Airway Kit (set of 6: 40-110mm)
- 1 - Rescue Blanket
- 1 - Instant Cold Pack
- 1 - 2" x 2" Burn Dressing
- 1 - 4" x 4" Burn Dressing
- 1 - Glucose Gel Tube
- 1 - Wire Splint
- 1 - Tourniquet
- 1 - Seat Belt Cutter
- 16 - 4" x 4" Sterile Gauze Pads
- 10 - 1 x 3" Sheer Bandages
- 10 - 3/4 x 3" Sheer Bandages
- 10 - 2 x 4 1/2" Bandages
- 10 - Fingertip Bandages
- 10 - Knuckle Bandages
- 2 - 2" Stretch gauze Roll
- 2 - 3" Stretch gauze Roll
- 2 - 6" Stretch gauze Roll
- 6 - 5" x 9" Surgical Dressings/ Abdominal pads
- 1 - Multi-Trauma Dressing
- 10 - Alcohol Prep Pads
- 10 - PVP Prep Pads
- 4 - Oval Eye Pads

- 2 - 1" Cloth Tape
- 4 - Triangular Bandages w/Pins
- 20 - Ammonia Inhalants
- 4 - Sting Pads

15. Stretcher Base

High quality base made of stainless steel and aluminum for easy loading and unloading of stretch

Technical Data

Material : Aluminum, stainless steel

Inclination angle : 20°- 25°

Under storage : 1 spine board or scoop stretcher

Load Capacity : 210kg-230kg

EMERGENCY AUDIO AND VISUAL WARNING SYSTEM

A. LED EMERGENCY WARNING LIGHTBAR

Multiple programmable modes:

155-160x single color led count

at least 15 programmable flash patterns

Field serviceable

Military-grade aluminum housing

Anti-yellowing & anti-cracking clear-coated polycarbonate Lens

Certifications: IP66, SAEJ1113, SAEJ595, ECE R65 Class

1 Certified, CT13, NFPA KKK, SAE 578, SAE

1 Year Warranty

B. SURFACE MOUNT WARNING LIGHTS - 6 Pcs

40° optical light spread for long-range visibility

at least 3 programmable modes

5-7x single color led count

Stop, tail & turn signal patterns

Military-grade aluminum housing

Anti-yellowing & anti-cracking clear-coated polycarbonate Lens

Certifications: IP66, SAEJ1113-11, SAEJ595, ECE R65 CLASS 1

CERTIFIED, CT13, NFPA KKK

1 Year Warranty

C. WIDE SURFACE MOUNT WARNING LIGHTS 6 PCS

Intense perimeter lighting in an ultra-compact, slim design.

Extremely functional and customizable, can be used as a

brake-tail-turn, reverse, warning light or scene light and steady on capabilities at 50% brightness.

Available modes:

Front or rear mounting options available

Atleast 10 LED count

180° light spread

Mounting hardware provided

20+ flash patterns

Military-grade aluminum housing

Anti-yellowing & anti-cracking clear-coated polycarbonate Lens

Certifications: SAEJ1113-11, SAEJ595, NFPA KKK

1 Year Warranty

D. SIREN and PUBLIC ADDRESS SYSTEM - 1 set

1 Unit 200W Siren

Up to 130 decibels of clear, thundering sound in programmable tones

Dual-tone capable with remote activation that allows for universal compatibility with other controllers 200W power output

21 programmable tones

Dual tone capability

Microphone included for PA functionality

Capabilities:

- Radio rebroadcast
- Park-kill
- Horn ring
- 6 programmable modes

Integrated push button for tone selection

Purchase includes 200W siren , RJ45 cable, microphone and microphone mounting set

Functions with most existing controllers and switch panels

Military-grade aluminum housing (Siren)

Certifications: IP67, SAEJ1849, SAEJ1113-11

1 Year Warranty

2 units SPEAKER/SIREN:

Compact low-profile design and durable polycarbonate housing, ideal speaker for any police, fire or EMS vehicle

Neodymium magnet

Universal compatibility

Compact, slim design to fit behind grille

Lightweight durable polycarbonate frame

Military-grade aluminum housing

Meets or exceeds SAE J1849 standards.

1 Year Warranty

E. LOW FREQUENCY SIREN – 1 pc

All-in-one, universal low-frequency siren capable of penetrating solid objects and helping to clear intersections quickly and safely

at least 2 programmable modes

Park kill capability

Mounting bracket Included

7+ integrated siren tones

Military-grade aluminum housing

Sound Output: 110dB

Certifications: IP67

1 Year Warranty

F. MINI CONTROLLER – 1 PC

Versatile All Around Compact 6 Button Programmable Controller for Siren and Emergency Lighting

Specifications:

All in one controller with integrated relay

LED backlit buttons

Universal compatibility

Includes legend sheet

Rugged weather-resistant enclosure

Additional Works and Supplies

One (1) Lot Supply and installation of custom decals and markings

One (1) Lot Supply and Installation of High Quality Tint, except windshield, driver and front passenger windows

Supplied vehicle accessories

One (1) set Standard manuals, tools and hydraulic bottle jack as provided by the vehicle manufacturer

One (1) set Spare tire with rim

One (1) set EWD

Includes

Three (3) years LTO Registration

•To ensure technical compliance, after sales support and warranty.

Supplier must provide manufactured issued product sheets for

